Standon Pipe Supports Inc.
PO Box 247, Forest Grove, OR 97116
phone- *503-533-5256* fax- *503-533-5501*

PRODUCT
TECHNICAL
INFORMATION

Standon Model TP102 - TP130

THRUST RETENTION PLATE SPECIFICATIONS FOR ANSI B16.1 125 FLANGES

Thrust Plate Detail





Side View



End View

Nominal pipe size	*2"- 4"*	*6"- 8"*	*10"-12"*	*14"*
* *Plate Thickness*	*0.50"*	*0.50"*	*0.75"*	*0.75"*
* *Plates per flange side*	*2 p/side*	*2 p/side*	*3 p/side*	*3 p/side*
* *Control rod diameter*	*0.63"*	*0.75"*	*0.88"*	*1.00"*

Nominal pipe size	*16"*	*18"*	*20"*	24" / 30"
* *Plate Thickness*	*0.75"*	*0.75"*	*0.75"*	*1.00"*
* *Plates per flange side*	*4 p/side*	*4 p/side*	*4 p/side*	*4 p/side*
* *Control rod diameter*	1.125"	1.125"	1.125"	1.25" / 1.50"

USAGE - For retention of plain end and flexible joint assemblies.
MATERIAL - Standard: A36 mild steel plate. *Optional: 304 Stainless Steel.*
FABRICATION - Laser burnout or flame cut, depending on material and thickness.
FINISH - Standard: electro-galvanized. *Optional: Plain, HDG*

For additional product information, please visit our website-www.standon.net - or contact your Standon representative.